

Home | Legin | Legist | Access information | Ale

Welcome United States Patent and Trademark Office

EROWSE

SEARCH

IEEE XPLORE GUIDE

Your search r	(wireless memor*) <in>metadata) natched 1 of 1432467 documents. If 100 results are displayed, 25 to a</in>	page, sorted by Relevance in Descending order.	ail			
» Search Opti	ons					
View Session	.History	Modify Search				
New Search		((wireless memor*) <in>metadata)</in>				
» Kay IEEE JNL IEE JNL IEEE CNF	IEEE Journal or Magazine IEE Journal or Magazine IEEE Conference Proceeding	Check to search only within this results set  Display Format:				
HEE CMF	IEE Conference Proceeding IEEE Standard	1. Ultra-low profile CSPs - new packaging solutions for 300 mm based high-speed, mobile a applications Ritzmann, H.; Electronics Manufacturing Technology Symposium, 2002. IEMT 2002. 27th Annual IEEE/SEM! If 17-18 July 2002 Page(s):173 - 176 Digital Object Identifier 10.1109/IEMT.2002.1032746  AbstractPlus   Full Text: PDE(313 KB) IEEE CNP Rights and Permissions				

instead by **©** Inspec Help Contact Us Privac

& Copyright 2006 (E

Day : Monday Date: 11/27/2006

Time: 10:07:19

# PALM INTRANET

## **Inventor Information for 09/428813**

Inventor Name	City	State/Country
INKINEN, SAMI	HAMEENLINNA	FINLAND
VAPAAKOSKI, SIMO	TAMPERE	FINLAND
Appln Info Contents Petition Inf	o Atty/Agent Info C	ontinuity/Reexam Fore
Search Another: Application#	Search or Pate	nt# Search
PCT //	Search or PG PUE	Search Search
Attorney Docket #	<u> </u>	earch

To go back use Back button on your browser toolbar.

Back to <u>FALM</u> | <u>ASSIGNMENT</u> | <u>OASIS</u> | Home page



### **PALM INTRANET**

Day : Monday Date: 11/27/2006

Time: 10:07:22

#### **Inventor Name Search Result**

Your Search was:

Last Name = INKINEN

First Name = SAMI

Application#	D-44//	C4-4	D . E1 1	m: a	
Application#					Inventor Name
08775812	<u>5809115</u>	150	12/31/1996	TERMINAL TO BE COUPLED TO A TELECOMMUNICATIONS NETWORK USING RADIO COMMUNICATION	INKINEN, SAMI
<u>08958841</u>	6292858	150	10/28/1997	ELECTRONIC DEVICE CARD INTERFACE AND EXPANSION CARD WITH TRANSPOSITION OD SIGNAL AND VOLTAGE LINES	INKINEN, SAMI
09199668	6184592	150	11/25/1998	A SYSTEM AND METHOD FOR SUPPLYING POWER TO AN EXPANSION CARD	INKINEN, SAMI
09247191	6400931	150	02/09/1999	CARD-LIKE WIRELESS COMMUNICATION DEVICE	INKINEN, SAMI
<u>09428813</u>	Not Issued	71	10/28/1999	METHOD FOR DATA COMMUNICATION BETWEEN A WIRELESS DEVICE AND AN ELECTRIC DEVICE, AND A DATA COMMUNICATION DEVICE	INKINEN, SAMI
09537256	Not Issued	161	03/29/2000	Transfer of electronic money	INKINEN, SAMI
<u>09736875</u>	Not Issued	61	12/14/2000	Video conference system	INKINEN, SAMI
10770868	Not Issued	30	02/03/2004	Content delivery according to device activity	INKINEN, SAMI
11465111	Not Issued	20		REAL ESTATE LISTING AND ADVERTISING SYSTEM	INKINEN, SAMI
60708842	Not Issued	159	08/16/2005	Real estate listing and advertising system	INKINEN, SAMI

Inventor Search Completed: No Records to Display.

**Last Name** 

First Name

O 1 4 .7 T		·	***************
Search Another: Inventor	· INKINEN	SAMI	Search

To go back use Back button on your browser toolbar.

Back to PALM ASSIGNMENT OASIS Home page



### **PALM INTRANET**

Day: Monday Date: 11/27/2006

Time: 10:07:31

#### **Inventor Name Search Result**

Your Search was:

Last Name = VAPAAKOSKI

First Name = SIMO

					<u> </u>
Application#				<u> </u>	Inventor Name
08634701	5884103	150	04/18/1996	DATA TERMINAL WITH ADAPTER FOR SELECTIVELY MODIFYING DATA TRANSMITTED TO AND FROM	VAPAAKOSKI, SIMO
08991133	6164547	150	12/16/1997	METHOD FOR CHECKING THE COMPATIBILITY OF A MOBILE STATION AND A FUNCTIONAL UNIT; A MOBILE STATION AND A FUNCTIONAL UNIT	VAPAAKOSKI, SIMO
09204580	6119180	150	12/03/1998	DATA TERMINAL WITH CONTROLLER FOR SELECTIVELY MODIFYING DATA TRANSMITTED TO AND FROM	VAPAAKOSKI, SIMO
09428813	Not Issued	71	10/28/1999	METHOD FOR DATA COMMUNICATION BETWEEN A WIRELESS DEVICE AND AN ELECTRIC DEVICE, AND A DATA COMMUNICATION DEVICE	VAPAAKOSKI, SIMO
<u>09565856</u>	6348893	150	05/05/2000	Antenna structure of an expansion card for an electronic device	VAPAAKOSKI, SIMO
<u>09579254</u>	6594506	150	05/25/2000	ANTENNA STRUCTURE IN AN EXPANSION CARD FOR AN ELECTRONIC DEVICE	VAPAAKOSKI, SIMO
09634408	6570767	150	08/09/2000	CARD ADAPTER	VAPAAKOSKI, SIMO
11227992	Not Issued	30	09/14/2005	Device comprising camera elements	VAPAAKOSKI, SIMO
<u>09136127</u>	6230214	150	08/18/1998	PORTABLE ELECTRONIC DEVICES	VAPAAKOSKI, SIMO A.

### Inventor Search Completed: No Records to Display.

	Last Name	First Name	
Search Another: Inventor	VAPAAKOSKI	SIMO	Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

	Hits	Search Text	DBs
1	0	(375/259, 375/295, 375/316).ccls. and (expansion adj memory) and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	0	"1001348".URPN.	USPAT
3	0	"1001348".URPN.	USPAT
4	52	(expansion adj memory) and wireless and (@ad<"19981028")	USPAT; EPO; JPO; DERWENT; IBM_TDB
5	0	"9943136".URPN.	USPAT
6	2	"4481382".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB
7	2	"4875229".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB
8	135	"4481382".URPN.	USPAT
9	0	"4481382".URPN. and ((expansion or expand) adj memory)	USPAT
10	o	"4481382".URPN. and ((expansion or expand) adj (memory or storage))	USPAT
11	0	"4481382".URPN. and ((expansion or expand or attach) adj (memory or storage))	l .
12	0	"4481382".URPN. and ((expansion or expand or attach or extra) adj (memory or storage))	USPAT
13	5	"4481382".URPN. and ((expansion or expand or attach or extra or additional) adj (memory or storage))	USPAT
14	17	"4481382".URPN, and (picture or	USPAT

	Hits	Search Text	DBs
15	88	((expansion or extra) adj memory) and wireless and (@ad<"19981028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	53	(expansion adj memory) and wireless and (@ad<"19981028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	52	(expansion adj memory) and wireless and (@ad<"19981028")	USPAT; EPO; JPO; DERWENT; IBM_TDB
18	17	"4481382".URPN. and (picture or camera) and (@ad<"19981028")	USPAT
19	0	"4481382".URPN. and (picture or camera) and (memory with (expand or expansion)) and (@ad<"19981028")	USPAT
20	2135	(picture or camera) and (memory with (expand or expansion)) and (@ad<"19981028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	125	with (expand or expansion)) and wireless and (@ad<"19981028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	1	(375/???).ccls. and (picture or camera) and (memory with (expand or expansion)) and wireless and (@ad<"19981028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	31	with (expand or expansion)) and wireless and (memory adj	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
24	31	(picture or camera) and (memory with (expand or expansion)) and wireless and (memory adj (activate or activation or start or initiate)) and (@ad<"19981028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	32	(picture or camera) and ((memory or storage) with (expand or expansion)) and wireless and ((memory or storage) adj (activate or activation or start or initiate)) and (@ad<"19981028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	33	(picture or camera or image) and ((memory or storage) with (expand or expansion)) and wireless and ((memory or storage) adj (activate or activation or start or initiate)) and (@ad<"19981028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	12	("4419734"   "4796209"   "4845492"   "4881061"   "4961533"   "5188020"   "5260690"   "5303844"   "5313393"   "5442344"   "5448226"   "5455409").PN.	USPAT
28	26	"5671362".URPN.	USPAT
29	186	(serial and parallel) and ((memory or storage) with (expand or expansion)) and wireless and ((memory or storage)) and (@ad<"19981028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	2	"5765027".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
31	2	"5646635".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	0	(serial adj to adj parallel) and wireless and ((memory or storage)) and (@ad<"19981028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	1220	(serial near2 parallel) and wireless and ((memory or storage)) and (@ad<"19981028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	826	(serial near1 parallel) and wireless and ((memory or storage)) and (@ad<"19981028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	82	(serial near1 parallel) and ((memory or storage) with (expand or expansion)) and wireless and ((memory or storage)) and (@ad<"19981028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	34	((serial near2 parallel) near2 (convert or conversion)) and ((memory or storage) with (expand or expansion)) and wireless and ((memory or storage)) and (@ad<"19981028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	5439	pcmcia and (@ad<"19981028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	906	pcmcia and device and (picture or camera) and (@ad<"19981028")	US-PGPUB; USPAT; EPO; JPO;

	Hits	Search Text	DBs
39	46	(pcmcia.ti. or pcmcia.ab.)and device and (picture or camera) and (@ad<"19981028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	9	(pcmcia.ti. or pcmcia.ab.)and device and (picture or camera) and wireless and (@ad<"19981028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	37	((pcmcia.ti. or pcmcia.ab.)and device and (picture or camera) and (@ad<"19981028")) not ((pcmcia.ti. or pcmcia.ab.)and device and (picture or camera) and wireless and (@ad<"19981028"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	36	((pcmcia.ti. or pcmcia.ab.)and device and (picture or camera) and (@ad<"19981028")) not ((pcmcia.ti. or pcmcia.ab.) and device and (picture or camera) and (wireless or rf) and (@ad<"19981028"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	13	((pcmcia with rf) and device and (picture or camera) and (@ad<"19981028"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	44	((pcmcia with (rf or wireless)) and device and (picture or camera) and (@ad<"19981028"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	13	((pcmcia with (rf)) and device and (picture or camera) and (@ad<"19981028"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
	,	(((pcmcia with (rf or wireless))	
		and device and (picture or	US-PGPUB;
46	31	camera) and (@ad<"19981028")))	USPAT; EPO; JPO;
70	3.	not (((pcmcia with (rf)) and device	DERWENT;
		and (picture or camera) and	IBM_TDB
		(@ad<"19981028")))	·
		(((pcmcia or (pc adj card)) with (rf	US-PGPUB;
47	53	or wireless)) and device and	USPAT; EPO; JPO;
		(picture or camera) and	DERWENT;
		(@ad<"19981028"))	IBM_TDB
		(((pcmcia or (pc adj card)) with (rf	US-PGPUB;
48	53	or wireless or lprf)) and device	USPAT; EPO; JPO;
		and (picture or camera) and	DERWENT;
			IBM_TDB
	4	1	US-PGPUB;
49			USPAT; EPO; JPO;
		adj serial) or ("p/s") or ("s/p")) and	DERWENT;
		(@ad<"19981028"))	IBM_TDB
	·	(pcmcia with wireless) and (@ad<"19981028")	US-PGPUB;
50	271		USPAT; EPO; JPO;
			DERWENT;
			IBM_TDB
		IDCIIICIA WIIN WIPPIECCI ANN	USPAT; EPO; JPO;
51	262	(@ad<"19981028")	DERWENT;
		·	IBM_TDB
	0.5	RUCINCIA NEARZ WIFEIESS) and	USPAT; EPO; JPO;
52	65	(@ad<"19981028")	DERWENT;
_		,	IBM_TDB
E ?	725	(pcmcia near2 memor\$5) and	USPAT; EPO; JPO;
53	735	(@ad<"19981028")	DERWENT;
			IBM_TDB
E 4		(pcmcia nearz expans55 near2	USPAT; EPO; JPO;
54	8	memor\$5) and (@ad<"19981028")	DERWENT;
	.		IBM_TDB

	Hits	Search Text	DBs
		(pcmcia near2 wireless near2	USPAT; EPO; JPO;
55	0	expans\$5 near2 memor\$5) and	DERWENT;
		(@ad<"19981028")	IBM_TDB
		(pcmcia near2 expans\$5 near2	USPAT; EPO; JPO;
56	0	memor\$5 near2 wireless) and	DERWENT;
		(@ad<"19981028")	IBM_TDB
		(wireless near2 pcmcia near2	USPAT; EPO; JPO;
57	0	expans\$5 near2 memor\$5) and	DERWENT;
		(@ad<"19981028")	IBM_TDB
		(wireless with (pcmcia near2	USPAT; EPO; JPO;
58	0	expans\$5 near2 memor\$5)) and	DERWENT;
ļ		(@ad<"19981028")	IBM_TDB
	0	memorasii and (@ad<"19981U2X")	USPAT; EPO; JPO;
59			DERWENT;
			IBM_TDB
	0	(wireless\$5 with (expans\$5 near2 memor\$5)) and (@ad<"19981028")	USPAT; EPO; JPO;
60			DERWENT;
·			IBM_TDB
		(wireless\$5 same (expans\$5	USPAT; EPO; JPO;
61	7	near2 memor\$5)) and	DERWENT;
		(@ad<"19981028")	IBM_TDB
		((stop\$5 or prevent\$5 or halt\$5)	
		near2 (updat\$5 or over?writ\$5 or	USPAT; EPO; JPO;
62	0	modif\$5 or chang\$5 or (writ\$5	DERWENT:
		near2 over)) near2 memor\$5	IBM_TDB
		near2 wireless\$5) and	
	_	(@ad<"19981028")	
		((stop\$5 or prevent\$5 or halt\$5)	
		near6 (updat\$5 or over?writ\$5 or	USPAT; EPO; JPO;
63	1	moditas of changas of (Writas	DERWENT;
		near2 over)) near6 memor\$5	IBM_TDB
		near6 wireless\$5) and	
		(@ad<"19981028")	<u> </u>

	Hits	Search Text	DBs
64	1	((stop\$5 or prevent\$5 or halt\$5) near6 (updat\$5 or over?writ\$5 or modif\$5 or chang\$5 or (writ\$5 near2 over)) near6 memor\$5 near6 (wireless\$5 or lprf or hprf)) and (@ad<"19981028")	USPAT; EPO; JPO; DERWENT; IBM_TDB
65	1458	((stop\$5 or prevent\$5 or halt\$5 or "not") near6 (updat\$5 or over?writ\$5 or modif\$5 or chang\$5 or (writ\$5 near2 over)) near6 memor\$5) and (@ad<"19981028")	USPAT; EPO; JPO; DERWENT; IBM_TDB
66	1	((stop\$5 or prevent\$5 or halt\$5 or "not") near6 (updat\$5 or over?writ\$5 or modif\$5 or chang\$5 or (writ\$5 near2 over)) near6 memor\$5) near6 (wireless\$5 or rf or lprf or hprf) and (@ad<"19981028")	USPAT; EPO; JPO; DERWENT; IBM_TDB
67	78	((stop\$5 or prevent\$5 or halt\$5 or "not") near6 (updat\$5 or over?writ\$5 or modif\$5 or chang\$5 or (writ\$5 near2 over)) near6 memor\$5) and (wireless\$5 or rf or lprf or hprf) and (@ad<"19981028")	USPAT; EPO; JPO; DERWENT; IBM_TDB
68	2	((stop\$5 or prevent\$5 or halt\$5 or "not") near6 (updat\$5 or over?writ\$5 or modif\$5 or chang\$5 or (writ\$5 near2 over))	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
		(("5655135") or ("5463578") or	
		("6240052") or ("4871128") or	
		("5956295") or ("4398269") or	
		("5265082") or ("4346967") or	
		("4414593") or ("4831660") or	
		("5276849") or ("5369651") or	
		("5448728") or ("5559950") or	
		("5623506") or ("5644444") or	
		("5872763") or ("5949601") or	·
		("6104561") or ("4391241") or	
		("4921363") or ("4951042") or	
		("5184335") or ("5353410") or	US-PGPUB;
69	101 ("5465262") or ("5505335") or	USPAT; EPO; JPO;	
		("5541941") or ("5542066") or	DERWENT;
	•	("5557622") or ("5758120") or	IBM_TDB
		("5798993") or ("5860112") or	
		("5899086") or ("5906908") or	
		("5953299") or ("6037858") or	
		("6057974") or ("6104692") or	
		("6138118") or ("6181661") or	
		("6182196") or ("4289052") or	
		("4308219") or ("4316275") or	
		("4338638") or ("4388688") or	
		("4390924") or ("4395118") or	
		("4439829") or ("4474320")).PN.	·.

	Hits	Search Text	DBs
70	101	(("5655135") or ("5463578") or ("6240052") or ("4871128") or ("5956295") or ("4398269") or ("5265082") or ("4346967") or ("4414593") or ("4831660") or ("5276849") or ("5369651") or ("5448728") or ("5559950") or ("5623506") or ("56444444") or ("5872763") or ("5949601") or ("6104561") or ("4391241") or ("4921363") or ("4951042") or ("5184335") or ("5353410") or ("5465262") or ("5557622") or ("5758120") or ("5798993") or ("5758120") or ("5798993") or ("5906908") or ("5953299") or ("6037858") or ("6057974") or ("6104692") or ("6138118") or ("6181661") or ("6182196") or ("439829") or ("43988688") or ("4390924") or ("4395118") or ("4390924") or ("4395118") or ("4439829") or ("4474320")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	0	\$70 and ((stop\$5 or prevent\$5 or halt\$5 or "not") near6 (updat\$5 or over?writ\$5 or modif\$5 or chang\$5 or (writ\$5 near2 over)) near6 memor\$5) and (wireless\$5 or rf or lprf or hprf)	USPAT; EPO; JPO; DERWENT; IBM_TDB
72	0	\$70 and ((stop\$5 or prevent\$5 or halt\$5 or "not") and (updat\$5 or over?writ\$5 or modif\$5 or chang\$5 or (writ\$5 near2 over)) near6 memor\$5) and (wireless\$5 or rf or lprf or hprf)	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
73	0	S70 and ((updat\$5 or over?writ\$5 or modif\$5 or chang\$5 or (writ\$5 near2 over)) near6 memor\$5) and (wireless\$5 or rf or lprf or hprf)	USPAT; EPO; JPO;
74	20	S70 and ((updat\$5 or over?writ\$5 or modif\$5 or chang\$5 or (writ\$5 near2 over)) near6 memor\$5)	
75	14	S70 and ((updat\$5 or over?writ\$5 or modif\$5 or chang\$5 or (writ\$5 near2 over)) near6 memor\$5)	US-PGPUB; USPAT
76	0	("not" near2 (writ\$5 or overwrit\$5) near2 (memor\$5 or cach\$5) near2 transmit\$7 or transmis\$7) and (@pd<"19981028")	US-PGPUB
77	0	("not" near2 (writ\$5 or overwrit\$5) near2 (memor\$5 or cach\$5) near2 (transmit\$7 or transmis\$7)) and (@ad<"19981028")	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
78	0	("not" near2 (writ\$5 or overwrit\$5) near2 (memor\$5 or cach\$5) near2 (transmit\$7 or transmis\$7)) and (@pd<"19981028")	US-PGPUB
79	0	((writ\$5 or overwrit\$5) near2 (memor\$5 or cach\$5) near2 (transmit\$7 or transmis\$7)) and (@pd<"19981028")	US-PGPUB
80	1046	((writ\$5 or overwrit\$5) near2 (memor\$5 or cach\$5) near2 (transmit\$7 or transmis\$7)) and (@ad<"19981028")	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
81	0	(("do not" or "not" or cancel\$5 or negat\$5) near2 (writ\$5 or overwrit\$5) near2 (memor\$5 or cach\$5) near2 (transmit\$7 or transmis\$7)) and (@ad<"19981028")	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>B2</b>	0	(("do not" or "not" or cancel\$5 or negat\$5) near2 (sav\$5 or writ\$5 or overwrit\$5) near2 (memor\$5 or cach\$5 or stor\$5) near2 (transmit\$7 or transmis\$7)) and (@ad<"19981028")	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	9	(("do not" or "not" or cancel\$5 or	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	7	("5506932"   "5523795"   "5566174"   "5784119"   "5805602"   "5835668"   "5914962").PN.	US-PGPUB; USPAT; USOCR
35	142	changs or modifs or updats or delet\$5 or eras\$5 or load\$5)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
86	11	(("do not" or "not" or cancel\$5 or negat\$5 or prevent\$5) near2 (sav\$5 or writ\$5 or overwrit\$ or chang\$5 or modif\$5 or updat\$5 or delet\$5 or eras\$5 or load\$5) near2 (memor\$5 or cach\$5 or stor\$5) near2 (transmit\$7 or transmis\$7)) and (@ad<"19981028")	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
87	2	(("do not" or "not" or cancel\$5 or negat\$5 or prevent\$5) near6 (sav\$5 or writ\$5 or overwrit\$ or chang\$5 or modif\$5 or updat\$5 or delet\$5 or eras\$5 or load\$5) near6 (memor\$5 or cach\$5 or stor\$5) near6 (transmit\$7 or transmis\$7)) and (wireless or lprf or wi?fi or bluetooth) and (@ad<"19981028")	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
88	24	pcmcia near2 general and (@ad<"19981028")	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
89	6	((pcmcia near2 general) with memor\$5) and (@ad<"19981028")	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
90	0	(data near2 storag\$5 near2 activat\$5 near2 transmiss\$5) and (@ad<"19981028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	223	near6 (start\$5 or activat\$5) near6 transmiss\$5) and	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
92	14	(data near2 (sav\$5 or storag\$5) near2 (start\$5 or activat\$5) near2 transmiss\$5) and (@ad<"19981028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
93	16	(((information\$5 or data or signal\$5) near2 (sav\$5 or storag\$5)) adj2 ((start\$5 or activat\$5 or initiat\$5) near2 transmiss\$5)) and (@ad<"19981028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
94	54	(((information\$5 or data or signal\$5) near2 (sav\$5 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
95	38	S96 not S95	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
96	50	(("5655135") or ("5463578") or ("6240052") or ("4871128") or ("5956295") or ("4398269") or ("5265082") or ("4346967") or ("4414593") or ("4831660") or ("5276849") or ("5369651") or ("5448728") or ("5559950") or ("5623506") or ("5644444") or ("5872763") or ("5949601") or ("6104561") or ("4391241") or ("4921363") or ("4951042") or ("5184335") or ("5353410") or ("5465262") or ("5505335") or ("5541941") or ("5542066") or ("5798993") or ("5758120") or ("5798993") or ("5860112") or ("5953299") or ("6037858") or ("6057974") or ("6104692") or ("6138118") or ("6184661") or ("6182196") or ("4289052") or ("4308219") or ("4388688") or ("4390924") or ("4395118") or ("4390924") or ("4395118") or ("4439829") or ("4474320").PN.	US-PGPUB; USPAT; USOCR
97	46	S98 and prev\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	0	S98 and prev\$7 and wireless\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
99	0	S98 and wireless\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
100	4	S98 not S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
101	16	(((information\$5 or data or signal\$5) near2 (sav\$5 or storag\$5) near2 (preven\$5 or stop\$5 or halt\$5)) adj6 ( transmiss\$5)) and (@ad<"19981028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
102	0	(preven\$5 or stop\$5 or halt\$5) near2 (chang\$5 or modif\$5 or updat\$5) near2 (memor\$5 or cach\$5) near2 (when or dur\$5 or while) near2 (transmiss\$5 or transmit\$5) and @ad<"19981028"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
103	2	(preven\$5 or stop\$5 or halt\$5) near6 (chang\$5 or modif\$5 or updat\$5) near6 (memor\$5 or cach\$5) near6 (when or dur\$5 or while) near6 (transmiss\$5 or transmit\$5) and @ad<"19981028"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
104	1	("6085225").URPN.	USPAT
105	11	("4748620"   "5321750"   "5404505"   "5491820"   "5706435"   "5829001"   "5850522"   "5862331"   "5862346"   "5870765"   "5884324").PN.	US-PGPUB; USPAT; USOCR
106	15	(preven\$5 or stop\$5 or halt\$5 or busy) and (ready or enabl\$5) near6 (chang\$5 or modif\$5 or updat\$5) near6 (memor\$5 or cach\$5) near6 (transmiss\$5 or transmit\$5 or exchang\$5) and @ad<"19981028"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
107	8	("5502733").URPN.	USPAT
108	1	((preven\$5 or stop\$5 or halt\$5 or busy) and (ready or enabl\$5)) near6 (chang\$5 or modif\$5 or updat\$5) near6 (memor\$5 or cach\$5) near6 (transmiss\$5 or transmit\$5 or exchang\$5) and @ad<"19981028"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
109	724120	(busy) near2 (while or during) near2 data (transmit\$7 or transmis\$7) and (transmit\$7 and receiv\$5) and @ad<"19981028"	USPAT; EPO; JPO; DERWENT; IBM_TDB
110	22	(busy) near2 (while or during) near2 data (transmit\$7 or transmis\$7) and (transmit\$7 and receiv\$5) and @pd<"19981028"	US-PGPUB
111	2	((busy) near2 (while or during) near2 data near2 (transmit\$7 or transmis\$7)) and (transmit\$7 and receiv\$5) and @ad<"19981028"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
112	60	((busy) near6 (while or during) near6 data near6 (transmit\$7 or transmis\$7)) and (transmit\$7 and receiv\$5) and @ad<"19981028"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
113	119	((receiv\$5 and transmi\$7) near2 (busy) near2 (transmit\$7 or transmis\$7)) and @ad<"19981028"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
114	0	((receiv\$5 and transmi\$7) near2 (((preven\$5 or stop\$5 or halt\$5 or busy) and (ready or enabl\$5)) near6 (chang\$5 or modif\$5 or updat\$5) near6 (memor\$5 or cach\$5)) near2 (transmit\$7 or transmis\$7)) and @ad<"19981028"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
		((receiv\$5 and transmi\$7) near2	
		(((preven\$5 or stop\$5 or halt\$5 or	USPAT; USOCR;
115 0	)	busy) and (ready or enabl\$5))	EPO; JPO;
	,	near2 (chang\$5 or modif\$5 or	DERWENT;
		updat\$5) near2 (memor\$5 or	IBM_TDB
		cach\$5))) and @ad<"19981028"	
		((receiv\$5 and transmi\$7) near6	
		(((preven\$5 or stop\$5 or halt\$5 or	USPAT; USOCR;
116 0	<b>)</b>	busy) and (ready or enabl\$5))	EPO; JPO;
	,	near6 (chang\$5 or modif\$5 or	DERWENT;
		updat\$5) near6 (memor\$5 or	IBM_TDB
		cach\$5))) and @ad<"19981028"	
		((receiv\$5 and transmi\$7) same	
		(((preven\$5 or stop\$5 or halt\$5 or	USPAT; USOCR;
117 2	28	busy) and (ready or enabl\$5))	EPO; JPO;
· · ·	-	same (chang\$5 or modif\$5 or	DERWENT;
		updat\$5) same (memor\$5 or	IBM_TDB
		cach\$5))) and @ad<"19981028"	
		((receiv\$5 and transmi\$7) same	·
		(((preven\$5 or stop\$5 or halt\$5 or	USPAT; USOCR;
•		busy) and (ready or enabl\$5))	EPO; JPO;
118 2	<b>:7</b>	same (chang\$5 or modif\$5 or	DERWENT;
		updat\$5) same (memor\$5 or	IBM_TDB
		cach\$5))) and wireless\$5 and	
		@ad<"19981028"	
		((receiv\$5 and transmi\$7) near2	
		(((preven\$5 or stop\$5 or halt\$5 or	1
119 0			EPO; JPO;
		1	DERWENT;
:		near2 (memor\$5 or cach\$5))) and	IBM_TDB
	· · · ,_	wireless\$5 and @ad<"19981028"	
		((receiv\$5 and transmi\$7) near6	
		(((preven\$5 or stop\$5 or halt\$5 or	
120 0			EPO; JPO;
			DERWENT;
		near6 (memor\$5 or cach\$5))) and	IBM_TDB
		wireless\$5 and @ad<"19981028"	

	Hits	Search Text	DBs
121	3	((receiv\$5 and transmi\$7) with (((preven\$5 or stop\$5 or halt\$5 or busy or interrupt\$5)) with (chang\$5 or modif\$5 or updat\$5) with (memor\$5 or cach\$5))) and	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
122	104	wireless\$5 and @ad<"19981028"  ((receiv\$5 and transmi\$7) with  (((preven\$5 or stop\$5 or halt\$5 or busy or interrupt\$5)) with  (chang\$5 or modif\$5 or updat\$5)  with (memor\$5 or cach\$5))) and @ad<"19981028"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
123	1	((receiv\$5 and transmi\$7) near2 control\$5 near2 (memor\$5 or cach\$5) same wireless\$5) and @ad<"19981028"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
124	1	((receiv\$5 and transmi\$7) near2 (control\$5 or interrup\$5 or stop\$5 or prevent\$5 or halt\$5) near2 (memor\$5 or cach\$5) same wireless\$5) and @ad<"19981028"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
125	49	((receiv\$5 and transmi\$7) near6 (control\$5 or interrup\$5 or stop\$5 or prevent\$5 or halt\$5) near6 (memor\$5 or cach\$5) same wireless\$5) and @ad<"19981028"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
126	0	messag\$5 near2 (receiv\$5 and transmi\$7) near2 (control\$5 or interrup\$5 or stop\$5 or prevent\$5 or halt\$5) near2 (memor\$5 or cach\$5) near2 (chang\$5 or updat\$5 or modif\$5) near2 (transmit\$7 or transmis\$7) near2 wireless\$5 and @ad<"19981028"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
	0	messag\$5 near2 (receiv\$5 and	
		transmi\$7) near2 (control\$5 or	
		interrup\$5 or stop\$5 or prevent\$5	i '
127		or halt\$5) near2 (memor\$5 or	EPO; JPO;
		cach\$5) near2 (chang\$5 or	DERWENT;
		updat\$5 or modif\$5) near2	IBM_TDB
		(transmit\$7 or transmis\$7) and	
		@ad<"19981028"	
		messag\$5 near6 (receiv\$5 and	
		transmi\$7) near6 (control\$5 or	
	0	interrup\$5 or stop\$5 or prevent\$5	USPAT; USOCR;
128		or halt\$5) near6 (memor\$5 or	EPO; JPO;
120		cach\$5) near6 (chang\$5 or	DERWENT;
		updat\$5 or modif\$5) near6	IBM_TDB
		(transmit\$7 or transmis\$7) and	_
		@ad<"19981028"	
	16	(messag\$5 or busy or signal\$5 or	
		indicat\$5) near6 (receiv\$5 and	
		transmi\$7) near6 (control\$5 or	
		interrup\$5 or stop\$5 or prevent\$5	USPAT; USOCR;
129		or halt\$5) near6 (memor\$5 or	EPO; JPO;
		cach\$5) near6 (chang\$5 or	DERWENT;
		updat\$5 or modif\$5) near6	IBM_TDB
		(transmit\$7 or transmis\$7) and	
		@ad<"19981028"	
	77	(messag\$5 or busy or signal\$5 or	
		indicat\$5) near6 (receiv\$5 and	
		transmi\$7) near6 (control\$5 or	
		interrup\$5 or stop\$5 or prevent\$5	USPAT; USOCR:
420			EPO; JPO;
130		cach\$5) near6 (chang\$5 or	DERWENT;
			IBM TDB
		overwrit\$5 or over-writ\$5) near6	
		(transmit\$7 or transmis\$7) and	
		@ad<"19981028"	

	Hits	Search Text	DBs
131	4	S132 and wireless\$5	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
132	42	(wireless\$5 near2 busy) and @ad<"19981028"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
133	0	(wireless\$5 near2 busy) with (memor\$5 or cach\$5) and @ad<"19981028"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
134	9	(wireless\$5 near2 busy) same (memor\$5 or cach\$5) and @ad<"19981028"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
135	87	(modem near2 busy) and @ad<"19981028"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
136	0	(375/259, 375/295, 375/316).ccls. and (messag\$5 or busy or signal\$5 or indicat\$5) near6 (receiv\$5 and transmi\$7) near6 (control\$5 or interrup\$5 or stop\$5 or prevent\$5 or halt\$5) near6 (memor\$5 or cach\$5) near6 (chang\$5 or updat\$5 or modif\$5 or writ\$5 or overwrit\$5 or overwrit\$5 or overwrit\$5) near6 (transmit\$7 or transmis\$7) and @ad<"19981028"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
137	2	"6170743".pn.	US-PGPUB; USPAT; EPO; JPO DERWENT; IBM_TDB

	Hits	Search Text	DBs
138	0	(375/259, 375/295, 375/316).ccls. and (messag\$5 or busy or signal\$5 or indicat\$5) near6 (receiv\$5 and transmi\$7) near6 (control\$5 or interrup\$5 or stop\$5 or prevent\$5 or halt\$5) near6 (memor\$5 or cach\$5) near6 (chang\$5 or updat\$5 or modif\$5 or writ\$5 or overwrit\$5 or overwrit\$5 or overwrit\$5) near6 (transmit\$7 or transmis\$7) and @ad<"19981028"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
139	0	(375/259, 375/295, 375/316,219,220,222,295,316,377, 369/176,178.01,69,70,60.01,53.1,5 2.1,47.1, 365/230.01,244).ccls. and (expansion adj memor\$7) and wireless\$7	USPAT; EPO; JPO; DERWENT;
140	0		-

	Hits	Search Text	DBs
141	2	UC 400024U	US-PGPUB;
			USPAT; EPO; JPO;
	3	"6400931".pn.	DERWENT;
			IBM_TDB